

Universal Hose



List Price Catalog

Effective July 15, 2010



Note: Tolerances and ratings listed for the products in this catalog were provided by the manufacturer of those products. Universal Valve Co, Inc. assumes no responsibility for the accuracy of the data as reported by the manufacturer.

Curb Pump Hose - Steelflex Hardwall

Tube: Gasoline resistant Nitrile

Reinforcement: One braid of high-tensile steel wire.

Cover: Black Nitrile/PVC blend. Abrasion, oil, & weather resistant.

5/8" & 3/4" Also available in Red, Yellow and Green add 25% before discount

Coupled Lengths - Male x Male Chrome-plated Brass Couplings

ID	OD	W.P. psi
5/8"	1"	350
3/4"	1-1/8"	350
1"	1-3/8"	150

Length Ft.	ID Hose Diameter									
	5/8"	5/8"	5/8"	3/4"	3/4"	3/4"	1"	1"	1"	
	P/N	W t. LBS.	List/Ea.	P/N	W t. LBS.	List/Ea.	P/N	W t. LBS.	List/Ea.	
8	uv-125101	4.03	\$ 52.78	uv-124281	4.53	\$ 59.93	uv-123201	5.33	\$ 79.45	
8.5	uv-125121	4.24	\$ 55.10	uv-124291	4.76	\$ 62.53	uv-123211	5.59	\$ 82.79	
9	uv-125141	4.45	\$ 57.39	uv-124301	4.99	\$ 65.12	uv-123221	5.85	\$ 86.10	
9.5	uv-125171	4.66	\$ 59.68	uv-124321	5.22	\$ 67.72	uv-123237	6.11	\$ 89.47	
10	uv-125201	4.87	\$ 62.00	uv-124341	5.45	\$ 70.32	uv-123241	6.37	\$ 92.75	
10.5	uv-125221	5.08	\$ 64.26	uv-124361	5.68	\$ 72.89	uv-123251	6.63	\$ 96.09	
11	uv-125261	5.29	\$ 66.55	uv-124381	5.91	\$ 75.46	uv-123261	6.89	\$ 99.46	
12	uv-125301	5.71	\$ 71.19	uv-124421	6.36	\$ 80.65	uv-123301	7.41	\$ 106.08	
13	uv-125341	6.13	\$ 75.74	uv-124441	6.81	\$ 85.82	uv-123341	7.93	\$ 112.77	
14	uv-125381	6.55	\$ 80.31	uv-124481	7.26	\$ 90.99	uv-123381	8.45	\$ 119.45	
15	uv-125421	6.97	\$ 84.89	uv-124501	7.71	\$ 96.15	uv-123401	8.97	\$ 126.10	
16	uv-125441	7.39	\$ 89.50	uv-124521	8.16	\$ 101.29	uv-123421	9.49	\$ 132.75	
17	uv-125481	7.81	\$ 94.11	uv-124561	8.61	\$ 106.46	uv-123461	10.01	\$ 139.40	
18	uv-125501	8.23	\$ 98.72	uv-124581	9.06	\$ 111.62	uv-123481	10.53	\$ 146.05	
19	uv-125521	8.65	\$ 103.33	uv-124601	9.51	\$ 116.79	uv-123501	11.05	\$ 152.71	
20	uv-125541	9.07	\$ 107.94	uv-124621	9.96	\$ 121.96	uv-123521	11.57	\$ 159.36	
25	uv-125571	11.17	\$ 130.99	uv-124651	12.21	\$ 147.79	uv-123601	14.17	\$ 192.61	
50	uv-125561	21.67	\$ 246.23	uv-124761	23.46	\$ 276.95	uv-123701	27.17	\$ 358.90	
75	uv-125681	32.17	\$ 361.47	uv-124861	34.71	\$ 406.11	uv-123761	40.17	\$ 525.19	
100	uv-125701	42.67	\$ 476.71	uv-124881	45.96	\$ 535.27	uv-123781	53.17	\$ 691.47	



Swivel one end change last digit of part# to 2. Swivel both ends change to 5
see chart for swivel add on per end

Swivel	List each
5/8"	\$13.50
3/4"	\$13.50
1"	\$20.00

Curb Pump Hose - Softwall 4 Spiral

Tube: Gasoline resistant Nitrile

Reinforcement: Four spirals of synthetic cord, with Static Wire.

Cover: Black Nitrile/PVC blend. Abrasion, oil, & weather resistant.

Coupled Lengths - Male x Male Chrome-plated Brass Couplings

ID	OD	W.P. psi
3/4"	1-9/64"	150
1"	1-1/2"	150

Length Ft.	ID Hose Diameter					
	3/4"	3/4"	3/4"	1"	1"	1"
	P/N	W t. LBS.	List/Ea.	P/N	W t. LBS.	List/Ea.
8	uv-109071	3.23	\$ 46.73	uv-110071	5.4	\$ 76.97
8.5	uv-109072	3.4	\$ 48.51	uv-110073	5.68	\$ 79.94
9	uv-109091	3.57	\$ 50.29	uv-110091	5.97	\$ 82.94
9.5	uv-109081	3.74	\$ 52.08	uv-110097	6.26	\$ 85.94
10	uv-109101	3.91	\$ 53.86	uv-110101	6.55	\$ 88.91
10.5	uv-109111	4.08	\$ 55.65	uv-110103	6.84	\$ 91.88
11	uv-109121	4.25	\$ 57.43	uv-110111	7.13	\$ 94.89
12	uv-109141	4.59	\$ 60.94	uv-110141	7.7	\$ 100.79
13	uv-109161	4.93	\$ 64.48	uv-110161	8.27	\$ 106.83
14	uv-109181	5.27	\$ 68.02	uv-110181	8.84	\$ 112.77
15	uv-109201	5.61	\$ 71.56	uv-110201	9.41	\$ 118.77
16	uv-109221	5.95	\$ 75.10	uv-110221	9.98	\$ 124.74
17	uv-109241	6.29	\$ 78.67	uv-110241	10.55	\$ 130.06
18	uv-109261	6.63	\$ 82.24	uv-110261	11.12	\$ 136.03
19	uv-109281	6.97	\$ 85.78	uv-110281	11.69	\$ 142.00
20	uv-109301	7.31	\$ 89.35	uv-110301	12.26	\$ 147.97
25	uv-109321	9.01	\$ 107.14	uv-110341	15.11	\$ 177.83
50	uv-109401	17.51	\$ 196.08	uv-110801	29.36	\$ 327.10
75	uv-109441	26.01	\$ 285.03	uv-110751	43.61	\$ 476.37
100	uv-09461	34.51	\$ 373.97	uv-110901	57.86	\$ 625.64



Swivel one end change last digit of part# to 2. Swivel both ends change to 5
see chart for swivel add on per end

Swivel	List each
5/8"	\$13.50
3/4"	\$13.50
1"	\$20.00

Curb Pump Hose - Softwall 1 Braid

Tube: Gasoline resistant Nitrile

Reinforcement: One braid of high tensile fiber with Static Wire.

Cover: Black Nitrile/PVC blend. Abrasion, oil, & weather resistant.

NOTE 3/4" AVAILABLE IN RED OR GREEN ONLY SPECIFY COLOR

Coupled Lengths - Male x Male Chrome-plated Brass Couplings

ID	OD	W.P. psi
5/8"	1"	200
3/4"	1-1/8"	200

Length Ft.	ID Hose Diameter					
	5/8"	5/8"	5/8"	3/4"	3/4"	3/4"
	P/N	W t. LBS.	List/Ea.	P/N	W t. LBS.	List/Ea.
8	uv-101071	3.93	\$ 54.36	uv-102061	3.86	\$ 62.67
8.5	uv-101063	4.1	\$ 56.54	uv-102071	4.01	\$ 65.06
9	uv-101083	4.27	\$ 58.69	uv-102081	4.16	\$ 67.48
9.5	uv-101093	4.44	\$ 60.91	uv-102091	4.31	\$ 69.83
10	uv-101103	4.61	\$ 63.06	uv-102101	4.46	\$ 72.21
10.5	uv-101113	4.78	\$ 65.24	uv-102111	4.61	\$ 74.63
11	uv-101123	4.95	\$ 67.42	uv-102121	4.76	\$ 76.94
12	uv-101143	5.29	\$ 71.73	uv-102141	5.05	\$ 81.71
13	uv-101163	5.63	\$ 76.03	uv-102161	5.34	\$ 86.48
14	uv-101183	5.97	\$ 80.39	uv-102181	5.63	\$ 91.21
15	uv-101203	6.31	\$ 84.73	uv-102201	5.92	\$ 96.01
16	uv-101223	6.65	\$ 89.06	uv-102221	6.21	\$ 100.71
17	uv-101243	6.99	\$ 93.39	uv-102241	6.5	\$ 105.47
18	uv-101263	7.33	\$ 97.73	uv-102261	6.79	\$ 110.24
19	uv-101283	7.67	\$ 102.06	uv-102281	7.08	\$ 115.01
20	uv-101303	8.01	\$ 106.40	uv-102301	7.37	\$ 119.78
25	uv-101313	9.71	\$ 128.07	uv-102321	8.82	\$ 143.61
50	uv-101333	18.21	\$ 236.42	uv-102401	16.07	\$ 262.80
75		26.71	\$ 344.76	uv-102471	23.32	\$ 381.98
100	uv-101551	35.21	\$ 453.11	uv-102501	30.57	\$ 501.16



Swivel one end change last digit of part# to 2. Swivel both ends change to 5
see chart for swivel add on per end

Swivel	List each
5/8"	\$13.50
3/4"	\$13.50
1"	\$20.00

Curb Pump Hose - Softwall 2 Braid

Tube: Gasoline resistant Nitrile

Reinforcement: Two braids of high tensile fiber with Static Wire.

Cover: Black Nitrile/PVC blend. Abrasion, oil, & weather resistant.

Coupled Lengths - Male x Male Chrome-plated Brass Couplings

ID	OD	W.P. psi
5/8"	1"	250
3/4"	1-3/16"	250
1"	1-1/2"	150

Length Ft.	ID Hose Diameter								
	5/8"	5/8"	5/8"	3/4"	3/4"	3/4"	1"	1"	1"
	P/N	W t. LBS.	List/Ea.	P/N	W t. LBS.	List/Ea.	P/N	W t. LBS.	List/Ea.
8		3.93	\$ 55.13	uv-104031	3.67	\$ 61.88	uv-105081	5.23	\$ 84.27
8.5		4.1	\$ 57.55	uv-104036	3.89	\$ 64.60		5.51	\$ 87.71
9	uv-103803	4.27	\$ 59.97	uv-104091	4.11	\$ 67.32	uv-105781	5.8	\$ 91.14
9.5		4.44	\$ 62.39	uv-104097	4.33	\$ 70.04	uv-105131	6.09	\$ 94.58
10	uv-103103	4.61	\$ 64.80	uv-104101	4.56	\$ 72.77	uv-105101	6.38	\$ 98.01
10.5	uv-103113	4.78	\$ 67.22	uv-104111	4.78	\$ 75.49	uv-105113	6.67	\$ 101.44
11	uv-103123	4.95	\$ 69.64	uv-104121	5	\$ 78.21	uv-105121	6.96	\$ 104.88
12	uv-103143	5.29	\$ 74.45	uv-104141	5.45	\$ 83.66	uv-105141	7.53	\$ 111.75
13	uv-103163	5.63	\$ 9.25	uv-104161	5.9	\$ 89.10	uv-105161	8.1	\$ 118.61
14	uv-103183	5.97	\$ 84.06	uv-104181	6.35	\$ 94.55	uv-105181	8.67	\$ 125.48
15	uv-103203	6.31	\$ 88.86	uv-104201	6.8	\$ 99.99	uv-105201	9.24	\$ 132.35
16	uv-103223	6.65	\$ 93.66	uv-104221	7.25	\$ 105.43	uv-105221	9.81	\$ 139.22
17	uv-103243	6.99	\$ 98.47	uv-104241	7.7	\$ 110.88	uv-105241	10.38	\$ 146.09
18	uv-103263	7.33	\$ 103.27	uv-104261	8.15	\$ 116.32	uv-105261	10.95	\$ 152.95
19	uv-103283	7.67	\$ 108.08	uv-104281	8.6	\$ 121.77	uv-105281	11.52	\$ 159.82
20	uv-103303	8.01	\$ 112.88	uv-104301	9.05	\$ 127.21	uv-105301	12.09	\$ 166.69
25		9.71	\$ 136.90	uv-104351	11.3	\$ 154.44	uv-105361	14.94	\$ 201.03
50		18.21	\$ 257.01	uv-104451	22.55	\$ 290.56	uv-105521	29.19	\$ 372.73
75		26.71	\$ 377.12	uv-104551	33.8	\$ 426.68	uv-105641	43.44	\$ 544.43
100		35.21	\$ 497.23	uv-104651	45.05	\$ 562.80	uv-105701	57.69	\$ 716.13



Swivel one end change last digit of part# to 2. Swivel both ends change to 5
see chart for swivel add on per end

Swivel	List each
5/8"	\$13.50
3/4"	\$13.50
1"	\$20.00

Breakaway Connector Hose

Tube: Gasoline resistant Nitrile

Reinforcement: One braid of high-tensile steel wire.

Cover: Black Nitrile/PVC blend. Abrasion, oil, & weather resistant.

5/8" & 3/4" Also available in Red, Yellow and Green add 25% before discount

Coupled Lengths - Male x Male Chrome-plated Brass Couplings

Size	Part	List/Each
5/8" x 8"	uv-125781	\$ 19.16
5/8" x 9"	uv-125821	\$ 19.60
3/4" x 8"	uv-124021	\$ 22.62
3/4" x 9"	uv-124041	\$ 23.02
1" x 10"	uv-123041	\$ 33.23
1" x 12"	uv-123061	\$ 34.50

Swivel one end change last digit of part# to 2. Swivel both ends change to 5
see chart for swivel add on per end

Swivel	List each
5/8"	\$13.50
3/4"	\$13.50
1"	\$20.00

Marina Fueling Hose

Tube: Gasoline resistant Nitrile.

Reinforcement: Two braids of synthetic fiber with Static Wire.

Cover: Green or Blue blend of Nitrile & PVC. Abrasion, Oil, & weather resistant.

Please Specify color when ordering. Cover is Non-Marking.

ID	OD	W.P. psi
3/4"	1-3/16"	200
1"	1-1/2"	200

Length	ID Hose Diameter					
	3/4"	3/4"	3/4"	1"	1"	1"
Ft.	P/N	W t. LBS.	List/Ea.	P/N	W t. LBS	List/Ea.
25	uv-107341	13.93	\$ 176.57	uv-108161	17.68	\$ 255.16
35	uv-107461	19.13	\$ 238.16	uv-108281	24.18	\$ 339.73
40	uv-107521	21.73	\$ 268.95	uv-108361	33.93	\$ 382.01
50	uv-107621	26.93	\$ 330.54	uv-108521	40.43	\$ 466.58
60	uv-107651	32.13	\$ 392.12	uv-108621	46.94	\$ 551.14
75	uv-107781	39.93	\$ 484.50	uv-108781	56.68	\$ 677.99
100	uv-107841	52.93	\$ 638.46	uv-108821	72.93	\$ 889.40
125	uv-107871	65.93	\$ 792.42	uv-108841	89.18	\$ 1,100.81
150	uv-107921	78.93	\$ 946.39	uv-108861	105.43	\$ 1,312.22
200	uv-107951	104.93	\$ 1,254.31	uv-108911	137.97	\$ 1,735.04

Swivel one end change last digit of part# to 2. Swivel both ends change to 5
see chart for swivel add on per end

Swivel	List each
5/8"	\$13.50
3/4"	\$13.50
1"	\$20.00

